De overgang van ICD-9-CM naar ICD-10-BE op 1 januari 2015

Informatieavond

Algemene directies ziekenhuizen
03/09/2013

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

A. D'Havé, Adviseur, Celhoofd Terminologie, Classificatie, Groepering & Audit

Ondersteuning van de Overgang

Overzicht

- Vertaling ICD-10-BE
- Handboeken
  » codeerregels
  » anatomie en fysiologie
- Opleiding
  - E-learning
  - Codeer workshops
- Lijsten
  - referentielijsten
  - conversietabellen
- Codeertool

Vertaling

- Vertaling van ICD-10-CM
  - » toelating door de WHO
    - enkel de labels
  - » automatische vertaling op basis van bestaande vertalingen van ICD-10
    - CIM-10 (Zwitserland)
    - ICD-10 (Nederland)
 - » inhoudelijke revisie door geneesheer-specialisten

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Vertaling

- Vertaling van ICD-10-CM (vervolg)
  - » "technische" revisie
    - taalkundige revisie
    - toevoeging lidwoorden
    - homogenisering
    - aanpassing aan versie 2014
- ICD-10-PCS
  - » breakdown in afzonderlijke concepten
  - » 72.000 labels naar 1.279 concepten
  - » vertaling van de concepten

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Handboek: codeerregels

ICD-10-BE

RÈGLES DE CODAGE 2012

SPF SANTE PUBLIQUE, SECURITE DE LA CHAÎNE ALIMENTAIRE
ET ENVIRONNEMENT

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Handboek: codeerregels

- Codeerregels
  - » Leon-Chisen, N. (2011). *ICD-10-CM and ICD-10-PCS 2012 Coding Handbook: With Answers*. American Hospital Association Press
  - » het handboek ICD-10-BE is de eerste versie van het codeerhandboek
    - laatste revisie Q4 2013
    - update naar versie 2014: Q1 2014
  - » het handboek bestaat uit 33 hoofdstukken

Handboek: codeerregels

1 FONDEMENT DE LA CLASSIFICATION ICD-10-CM ET ICD-10-PCS

APERÇU DU CHAPITRE

ICD-10-CM et ICD-10-PCS ont été développée pour remplacer ICD-9-CM
La date planifiée pour l'implémentation de ces 2 classifications en Belgique est le 1 jan-
Le changement vers ICD-10 est nécessaire pour diverses raisons dont les suivantes :
- La classification ICD-9-CM est limitée dans sa capacité à inclure de nouvelles tech
- Une fois qu'une catégorie d'ICD-9-CM est complète, différents types de diagnostics ou
  interventions doivent être classés dans le même code pour sauver de l'espace.
- Beaucoup d'autres pays dans le monde ont déjà fait ce passage. Cette situation rend difficile
  les comparaisons des données de santé des USA avec celles du reste du monde.
- L'implémentation d'ICD-10-CM et ICD-10-PCS pourrait augmenter la qualité des soins et la
  sécurité des patients, ainsi qu'augmenter la fluidité du processus de remboursement.
- Chaque application et base de données dans lesquelles les diagnostics ou interventions sont
  introduits, stockés, analysés ou rapportés utiliseront ce nouveau système de classification.

Inleiding

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Handboek: codeerregels

Kernbegrippen

Kern

Marge

Codes combinés

de classer plus precisement. Occasionnellement, ces 2 groupes residu-
els sont combinés en un seul code.

Les codeurs doivent comprendre les principes de base qui sous-ten-
dent le système de classification afin d'utiliser ICD-10-CM et ICD-10-
PCS de manière appropriée et efficiente. Cette connaissance est égale-
ment élémentaire pour comprendre et appliquer les conseils officiels
de codage fournis par 'AHA Coding Clinic (American Hospital Associa-
tion)'. Il est important que les codeurs de toutes les institutions de soins
soient au courant des règles officielles d'ICD-10-CM concernant le co-
dage et le rapportage ainsi que des conseil de codage.

DÉVELOPPEMENT D'ICD-10-CM

Conseils de codage

Règles de codage

Handboek: codeerregels

EXERCICE 1.1

Sans vous référez au manuel ni aux ivres ICD-10-CM ou ICD-10-PCS, indiquez si les affirmations suiantes sont vraies (T) ou fausses (F).

ICD-10-CM comprend les codes des diagnostics et des interventions.	
La date d'adoption d'ICD-10-CM et ICD-10-PCS en Belgique est le 1 janvier 2015.	
Des catégories à 3 caractères sont utilisées dans ICD-10-CM e caractères dans ICD-10-PCS.	
ICD-10-CM et ICD-10-PCS sont tous deux développés par l'OM	
ICD-10-CM et ICD-10-PCS ont été développé car ICD-9-CM es des contraintes numériques.	

SOLUTIONS EXERCICE 1.1

Sans vous référez au manuel ni aux ivres ICD-10-CM ou ICD-10-PCS, indiquez si les affirmations suiantes sont vraies (T) ou fausses (F).

ICD-10-CM comprend les codes des diagnostics et des interventions.	F
La date d'adoption d'ICD-10-CM et ICD-10-PCS en Belgique est le 1 janvier 2015.	T
Des catégories à 3 caractères sont utilisées dans ICD-10-CM et des codes à 7 caractères dans ICD-10-PCS.	T
ICD-10-CM et ICD-10-PCS sont tous deux développés par l'OMS.	F
ICD-10-CM et ICD-10-PCS ont été développé car ICD-9-CM est dépassé et comprend des contraintes numériques.	T

Handboek: codeerregels

OBJECTIFS D'APPRENTIS-SAGE

Après l'étude de ce chapitre, vous devez être capable de :
- Expliquer les améliorations qui font que le système ICD-10 est plus efficient et plus utile qu'ICD-9-CM.
- Expliquer pourquoi le changement vers ICD-10-CM et ICD-10-PCS sera bénéfique.

TERMES

ICD-10-CM
Classification Internationale des Maladies, 10ème révision, Modification Clinique ; contient les codes des diagnostics.

ICD-10-PCS
Classification Internationale des Maladies, 10ème révision, Système de Classification des Interventions ; contient les codes des interventions.

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Handboek: Anatomie en Fysiologie

Handboek: Anatomie en fysiologie

- Anatomie & Fysiologie
  - » Harrington, J. (2011). *Comprehensive Anatomy and Physiology* for ICD-10-CM and PCS Coding *2012.* OptumInsight
  - » het handboek bestaat uit
    - 13 hoofdstukken
    - twee bijlagen (vragen en antwoorden)
  - » laatste revisie bezig
  - » terbeschikkingstelling: Q1 2014

Opleiding: E-learning

- Gedeelde ontwikkeling tussen AHIMA (American Hospital Information Management Association) en FOD

- E-learning opgebouwd uit 4 stadia
  » bewustmaking, assessments en basisopleidingen
    - 3-6 uur opleiding aanbevolen
  » reeks codeeropleidingen ICD-10-CM
    - 28 uren opleiding aanbevolen
  » reeks codeeropleidingen ICD-10-PCS
    - 23 uren opleiding aanbevolen
  » codeeroefeningen ICD-10-BE
    - 2 à 4 uren opleiding aanbevolen

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Opleiding: E-learning

- Vertaling in Frans en Nederlands is lopende
- Terbeschikkingstelling: Q3 2014
- Vrije (gratis) en permanente toegang
- Piloottest
  - » oproep van kandidaten via omzendbrief
  - » on-line inschrijvingen: 175 kandidaten
  - » verantwoordelijke: Mw. Kristel Vanraes
    - vragenlijst voor de evaluatie van de E-learning in vergelijking met klassieke opleidingen
    - geen inhoudelijke evaluatie
    - op basis van de modules in het Engels (Stadia 2 et 3)
    - publicatie van de resultaten eind dit jaar

Bewustmaking	Uren
Seminar - Getting Started with ICD-10-CM: What Coders Need to Know Now	1.5
Seminar - Getting Started with ICD-10-PCS: What Coders Need to Know Now	1.5
Assessments	
AHIMA ICD-10-CM Coder Readiness Assessment (100 questions)	2
AHIMA ICD-10-PCS Coder Readiness Assessment (100 questions)	2
ICD-10-CM A&P Focus Assessment: Neoplasms (20 questions)	1
ICD-10-CM A&P Focus Assessment: Pregnancy, Childbirth and the Puerperium (20 questions)	1
ICD-10-CM A&P Focus Assessment: Respiratory System(20 questions)	1
ICD-10-CM/PCS A&P Focus Assessment: Circulatory System(20 questions)	1
ICD-10-PCS A&P Focus Assessment: Central and Peripheral Nervous Systems (20 questions)	1
ICD-10-PCS A&P Focus Assessment: Musculoskeletal System(20 questions)	1
Basisopleidingen	
ICD-10 Foundations: Anatomy and Physiology	60
ICD-10 Foundations: Medical Terminology	45
ICD-10 Foundations: Pathophysiology and Pharmacology	45
ICD-10-CM A&P Focus Course: Neoplasms	2
ICD-10-CM A&P Focus Course: Pregnancy, Childbirth and the Puerperium	2
ICD-10-CM A&P Focus Course: Respiratory System	2
ICD-10-CM/PCS A&P Focus Course: Circulatory System	2
ICD-10-PCS A&P Focus Course: Central and Peripheral Nervous Systems	2
ICD-10-PCS A&P Focus Course: Musculoskeletal System	2

Stadium 1

Reeks codeeropleidingen ICD-10-CM	Uren
ICD-10-CM Overview: Deciphering the Code	6
ICD-10-CM Chapter 1: Certain Infectious and Parasitic Diseases	1
ICD-10-CM Chapter 2: Neoplasms	1
ICD-10-CM Chapter 3: Diseases of the Blood and Blood Forming Organs	1
ICD-10-CM Chapter 4: Endocrine, Nutritional, and Metabolic Diseases	1
ICD-10-CM Chapter 5: Mental, Behavioral, and Neurodevelopmental Disorders	1
ICD-10-CM Chapter 6: Diseases of the Nervous System	1
ICD-10-CM Chapter 7: Diseases of the Eye and Adnexa	1
ICD-10-CM Chapter 8: Diseases of the Ear and Mastoid Process	1
ICD-10-CM Chapter 9: Diseases of the Circulatory System	1
ICD-10-CM Chapter 10: Diseases of the Respiratory System	1
ICD-10-CM Chapter 11: Diseases of the Digestive System	1
ICD-10-CM Chapter 12: Diseases of the Skin and Subcutaneous Tissue	1
ICD-10-CM Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue	1
ICD-10-CM Chapter 14: Diseases of the Genitourinary System	1
ICD-10-CM Chapter 15: Pregnancy, Childbirth, and the Puerperium	1
ICD-10-CM Chapter 16: Certain Conditions Originating in the Perinatal Period	1
ICD-10-CM Chapter 17: Congenital Malformations, Deformations, and Chromosomal Abnormalities	1
ICD-10-CM Chapter 18: Signs & Symptoms	1
ICD-10-CM Chapter 19 Course 1: Injuries	1
ICD-10-CM Chapter 19 Course 2: Poisonings, Adverse Effects, and Complications	1
ICD-10-CM Chapter 20: External Causes of Morbidity	1
ICD-10-CM Chapter 21: Factors Influencing Health Status	1

Etape 2

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Etape 3

Reeks codeeropleidingen ICD-10-PCS	Uren
ICD-10-PCS Overview: Deciphering the Code	6
ICD-10-PCS Root Operations: Excision, Resection, Detachment, Destruction, and Extraction	2
ICD-10-PCS Root Operations: Drainage, Extirpation, and Fragmentation	1
ICD-10-PCS Root Operations: Division and Release	1
ICD-10-PCS Root Operations: Transplantation, Reattachment, Transfer, and Reposition	2
ICD-10-PCS Root Operations: Restriction, Occlusion, Dilation, and Bypass	2
ICD-10-PCS Root Operations: Insertion, Replacement, Supplement, Change, Removal, and Revision	3
ICD-10-PCS Root Operations: Inspection and Map	1
ICD-10-PCS Root Operations: Repair and Control	1
ICD-10-PCS Root Operations: Fusion, Alteration, and Creation	1
ICD-10-PCS Medical-Surgical Related Procedures	3

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Codeeroefeningen	Uren
Hospital Inpatient Coding Cases for Practice	2
Hospital Outpatient Coding Cases for Practice	2

Etape 4

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Opleiding: E-learning

Opleiding: E-learning

Lesson Coursework

Resources

Organization of Chapter 2

Chapter 2 in ICD-10-CM classifies neoplasms. This chapter includes categories C00 through D49 arranged in the following blocks or sections.

Section	Section Title
C00–C14	Malignant neoplasms of lip, oral cavity and pharynx
C15–C26	Malignant neoplasms of digestive organs
C30–C39	Malignant neoplasms of respiratory and intrathoracic organs
C40–C41	Malignant neoplasms of bone and articular cartilage
C43–C44	Melanoma and other malignant neoplasms of skin
C45–C49	Malignant neoplasms of mesothelial and soft tissue
C50	Malignant neoplasms of breast
C51–C58	Malignant neoplasms of female genital organs
C60–C63	Malignant neoplasms of male genital organs
C64–C68	Malignant neoplasms of urinary tract
C69–C72	Malignant neoplasms of eye, brain and other parts of central nervous system
C73–C75	Malignant neoplasms of thyroid and other endocrine glands
C7A	Malignant neuroendocrine tumors
C7B	Secondary neuroendocrine tumors
C76–C80	Malignant neoplasms of ill-defined, other secondary and unspecified sites
C81–C96	Malignant neoplasms of lymphoid, hematopoietic and related tissue
D00–D09	In situ neoplasms

federale overheidsdienst

VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

AHIMA
Distance Education

Resources

- Syllabus
- Coursework
  - Lesson
    - Lesson Quiz
  - Coding Cases
  - Final Assessment
  - Status Page

Lesson Quiz Completed

You have now completed the end of lesson quiz for ICD-10-CM Chapter 2.

Retaking the End of Lesson Quiz

If you would like to retake the end-of-lesson quiz, you may do so. You can take it as many times as you like, and no score will be recorded.

> RETAKE the lesson quiz

ICD-10-CM Chapter 2: Neoplasms
Lesson Quiz Answer Key

Question 1: If a malignancy has been previously excised or eradicated and there is no further treatment of that site, what category is reported?	Correct answer: Z85	A code from category Z85 is assigned to indicate that the patient has a personal history of malignant neoplasm
Question 2: What code is assigned when the admission is for antineoplastic chemotherapy?	Correct Answer: Z51.11	Code Z51.11 is assigned as the principal diagnosis followed by neoplasm code.
Question 3: When a pregnant patient is treated for a malignancy, a code from which chapter is sequenced first - Chapter 2 or Chapter 15?	Correct Answer: Chapter 15	A code from Chapter 15 should be sequenced first, followed by a code from Chapter 2 according to Guideline I.C.2.l.3.
Question 4: When a patient is	Correct Answer:	According to Guideline I.C.2.c.1., the

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Resources

Coding Case 1: Carcinoma with metastatic sites

The diagnosis for this 61-year-old female patient is small cell carcinoma of the right lower lobe of the lung with metastasis to the intrathoracic lymph nodes, brain, and right rib.   What diagnosis codes are assigned?

(Type in your answers in the order listed here. When entering multiple codes, separate them with a comma and a space.)

Check Answer

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Distance Education

Question 5 of 5

Assign the codes for the following diagnosis: Benign carcinoid of the cecum.

NOTE:

This is the FINAL question in the assessment. Before you submit the assessment, you may use the BACK button to review your answers. If you are ready to submit the assessment and receive your score, click the SUBMIT button after you select an answer for the question on this page.

○ C18.0

○ D01.0

○ D12.0

○ D3A.021

Incorrect answer. Code D12.0 is for benign neoplasm of cecum. When indexing carcinoid, the note directs to Tumor. It is not necessary to use the Neoplasm Table to code this tumor. Under carcinoid, there is a differentiation between benign or malignant, with specific sites listed.

OK

Submit

Opleiding: E-learning

Congratulations!

Your Score

A score of 70% or higher on the final assessment is required for successful completion of this course, and your score met the minimum or exceeded it!

Your Score: 100 %

Getting your Certificate of Completion

To ensure our continuing education courses meet the highest quality standards, we would appreciate your feedback on a 10-question course evaluation. It takes only a few minutes to complete. After you complete the evaluation, you will receive your **Certificate of Completion**. Click the button below to begin.

Launch Evaluation

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Opleiding: E-learning

a001_final_asmt_5q_ ×

Final Asmt 5Q

SCORE: 100%
PASSED

Question 1
A 12-year-old presented to the emergency room with left ear pain after spending numerous hours in the family pool over the past week. The physician diagnosed the patient with swimmer's ear.

Assign the appropriate ICD-10-CM diagnosis code.
Your answer (correct): H60.332

Question 2
The patient is a 55-year-old Caucasian female who presents to the emergency room with vertigo over the last month. She has had vertigo symptoms mostly when lying down on her back. She gets a dizzy feeling which she describes as spinning and reports some decreased hearing and buzzing in the left ear. 1. Labyrinthine vertigo. Patient agrees to PT evaluation. Will try Antivert for spinning.

2. Headache with normal neurologic exam. ESR ordered to rule out temporal arteritis due to the location.

What are the appropriate ICD-10-CM diagnosis code(s)?
Your answer (correct): H81.02, R51

Opleiding: E-learning

Opleiding: E-learning

Health Information Management — Web-based Training

Certificate of Completion

This document certifies that

Arabella D'Havé

has earned One (1) continuing education units (CEUs)

by successfully completing this AHIMA Distance Education course

ICD-10-CM Chapter 8: Diseases of the Ear and Mastoid Process

September 2, 2013

Student Signature _____

Please print and retain this certificate as evidence of completion.

Opleiding

OpleidingICD-10-BE

E-learning — praktijkervaring — workshops

ICD-9-CM 2014/1   ICD-9-CM 2014/2   Partieel ICD-10-BE 2015/1   ICD-10-BE 2015/2

| J | A | S | O | N | D | J | F | M | A | M | J | J | A | S | O | N | D | J | F | M | A | M | J |

2014/2   2015   2016/1   t

Leercurve van 18 maanden

Overgangsperiode

Opleiding: codeer workshops

- Q4 2015
- op basis van concrete dossiers, casussen, vragen
- kleine groepjes van een twintigtal personen
- gedurende 2 dagen
- sessies begeleid door een expert

oktober						
ma	di	wo	do	vr	za	zo
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

november						
ma	di	wo	do	vr	za	zo
26	27	28	29	30	31	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	1	2	3	4	5	6

december						
ma	di	wo	do	vr	za	zo
30	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31	1	2	3
4	5	6	7	8	9	10

ICD-9-CM - ICD-10-CM Mapping

International Classification of Diseases 10th Revision Clinical Modification

versie/version 2012

Federale Overheidsdienst Volksgezondheid, Veiligheid van de Voedselketen en Leefmilieu

Service Public Fédéral Santé Publique, Sécurité de la Chaîne Alimentaire et Environnement

Directoraat-Generaal Gezondheidszorg / Directorat-Général Soins de Santé
Dienst Datamanagement / Service Datamanagement

Dit bestand bevat ICD-10-CM Alfabetische Index, Systematische Lijst en "mappings"
Ce fichier contient l'index Alphabétique, la Liste Numérique et les "mappings"

Dit bestand bevat / Ce fichier contient:
→ De officiële ICD-10-CM codeerrichtlijnen / Les directives officielles de codage ICD-10-CM
→ De alfabetische index / *L'index alphabétique*
→ De systematische lijst / *La liste numérique*
→ Uitleg over de mapping / *Clarification au sujet du mappping*
→ Mapping van ICD-9-CM naar ICD-10-CM / *Mapping d'ICD-9-CM vers l'ICD-10-CM*
→ Mapping van ICD-10-CM naar ICD-9-CM / *Mapping d'ICD-10-CM vers l'ICD-9-CM*

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

	A	B
1	**International Classification of Diseases 10th Revision Clinical Modification 2012 Draft** **Alphabetic Index**	
2	E	
3	Eales' disease	H35.06-
4	Ear -see also condition	
12	Earache -see subcategory H92.0	H92.0
13	Early satiety	R68.81
14	Eaton-Lambert syndrome -see Syndrome, Lambert-Eaton	
15	Eberth's disease (typhoid fever)	A01.00
16	Ebola virus disease	A98.4
17	Ebstein's anomaly or syndrome (heart)	Q22.5
18	Eccentro-osteochondrodysplasia	E76.29
19	Ecchondroma -see Neoplasm, bone, benign	
20	Ecchondrosis	D48.0
21	Ecchymosis	R58
28	Echinococciasis -see Echinococcus	
29	Echinococcosis -see Echinococcus	
30	Echinococcus (infection)	B67.90
54	Echinorhynchiasis	B83.8
55	Echinostomiasis	B66.8
56	Echolalia	R48.8
57	Echovirus, as cause of disease classified elsewhere	B97.12
58	Eclampsia, eclamptic (coma) (convulsions) (delirium) (with hypertension) NEC	O15.9
63	Economic circumstances affecting care	Z59.9
64	Economo's disease	A85.8
65	Ectasia, ectasis	
81	Ecthyma	L08.0
85	Ectocardia	Q24.8
86	Ectodermal dysplasia (anhidrotic)	Q82.4
87	Ectodermosis erosiva pluriorificialis	L51.1
88	Ectopic, ectopia (congenital)	
128	Ectromelia	Q73.8
131	Ectropion	H02.109

Notes OCGCR a b c d e f g h i j k l m n o p q r s t u v w x y z Neoplasms

	A	B	C
1	Tabular List	**International Classification of Diseases 10th Revision Clinical Modification 2012 Draft** **Chapter 9**	
2		**Diseases of the circulatory system (I00-I99)**	
3		Excludes2: certain conditions originating in the perinatal period (P04-P96)	
4		certain infectious and parasitic diseases (A00-B99)	
5		complications of pregnancy, childbirth and the puerperium (O00-O9A)	
6		congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	
7		endocrine, nutritional and metabolic diseases (E00-E88)	
8		injury, poisoning and certain other consequences of external causes (S00-T88)	
9		neoplasms (C00-D49)	
10		symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94)	
11		systemic connective tissue disorders (M30-M36)	
12		transient cerebral ischemic attacks and related syndromes (G45.-)	
13		**This chapter contains the following blocks:**	
14		I00-I02 Acute rheumatic fever	
15		I05-I09 Chronic rheumatic heart diseases	
16		I10-I15 Hypertensive diseases	
17		I20-I25 Ischemic heart diseases	
18		I26-I28 Pulmonary heart disease and diseases of pulmonary circulation	
19		I30-I52 Other forms of heart disease	
20		I60-I69 Cerebrovascular diseases	
21		I70-I79 Diseases of arteries, arterioles and capillaries	
22		I80-I89 Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified.	
23		I95-I99 Other and unspecified disorders of the circulatory system	
24		**Acute rheumatic fever (I00-I02)**	
25	I00	**Rheumatic fever without heart involvement**	
26		Includes: arthritis, rheumatic, acute or subacute	
27		Excludes1: rheumatic fever with heart involvement (I01.0 - I01.9)	
28	I01	**Rheumatic fever with heart involvement**	
29		Excludes1: chronic diseases of rheumatic origin (I05-I09) unless rheumatic fever is also present or there is evidence of reactivation	
30	I01.0	**Acute rheumatic pericarditis**	
31		Any condition in I00 with pericarditis	
32		Rheumatic pericarditis (acute)	
33		Excludes1: acute pericarditis not specified as rheumatic (I30.-)	

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Microsoft Excel - ICD9CM-ICD10CM_Mappings_2012.xls

i9 code	i9 description	i10 code	i10 description	Approximate [1,i66]	No Map [1,i66]	Combination [1,i66]	Scenario	Choice list
001.0	Cholera due to vibrio cholerae	A00.0	Cholera due to Vibrio cholerae 01, biovar cholerae	0	0	0	0	0
001.1	Cholera due to vibrio cholerae el tor	A00.1	Cholera due to Vibrio cholerae 01, biovar eltor	0	0	0	0	0
001.9	Cholera, unspecified	A00.9	Cholera, unspecified	0	0	0	0	0
002.0	Typhoid fever	A01.00	Typhoid fever, unspecified	1	0	0	0	0
002.1	Paratyphoid fever A	A01.1	Paratyphoid fever A	0	0	0	0	0
002.2	Paratyphoid fever B	A01.2	Paratyphoid fever B	0	0	0	0	0
002.3	Paratyphoid fever C	A01.3	Paratyphoid fever C	0	0	0	0	0
002.9	Paratyphoid fever, unspecified	A01.4	Paratyphoid fever, unspecified	0	0	0	0	0
003.0	Salmonella gastroenteritis	A02.0	Salmonella enteritis	0	0	0	0	0
003.1	Salmonella septicemia	A02.1	Salmonella sepsis	1	0	0	0	0
003.20	Localized salmonella infection, unspecified	A02.20	Localized salmonella infection, unspecified	0	0	0	0	0
003.21	Salmonella meningitis	A02.21	Salmonella meningitis	0	0	0	0	0
003.22	Salmonella pneumonia	A02.22	Salmonella pneumonia	0	0	0	0	0
003.23	Salmonella arthritis	A02.23	Salmonella arthritis	0	0	0	0	0
003.24	Salmonella osteomyelitis	A02.24	Salmonella osteomyelitis	0	0	0	0	0
003.29	Other localized salmonella infections	A02.29	Salmonella with other localized infection	1	0	0	0	0
003.8	Other specified salmonella infections	A02.8	Other specified salmonella infections	0	0	0	0	0
003.9	Salmonella infection, unspecified	A02.9	Salmonella infection, unspecified	0	0	0	0	0
004.0	Shigella dysenteriae	A03.0	Shigellosis due to Shigella dysenteriae	0	0	0	0	0
004.1	Shigella flexneri	A03.1	Shigellosis due to Shigella flexneri	0	0	0	0	0
004.2	Shigella boydii	A03.2	Shigellosis due to Shigella boydii	0	0	0	0	0
004.3	Shigella sonnei	A03.3	Shigellosis due to Shigella sonnei	0	0	0	0	0
004.8	Other specified shigella infections	A03.8	Other shigellosis	0	0	0	0	0
004.9	Shigellosis, unspecified	A03.9	Shigellosis, unspecified	0	0	0	0	0
005.0	Staphylococcal food poisoning	A05.0	Foodborne staphylococcal intoxication	0	0	0	0	0
005.1	Botulism food poisoning	A05.1	Botulism food poisoning	0	0	0	0	0
005.2	Food poisoning due to Clostridium perfringens (C. welchii)	A05.2	Foodborne Clostridium perfringens [Clostridium welchii] intoxication	0	0	0	0	0
005.3	Food poisoning due to other Clostridia	A05.8	Other specified bacterial foodborne intoxications	1	0	0	0	0
005.4	Food poisoning due to Vibrio parahaemolyticus	A05.3	Foodborne Vibrio parahaemolyticus intoxication	0	0	0	0	0
005.81	Food poisoning due to Vibrio vulnificus	A05.5	Foodborne Vibrio vulnificus intoxication	0	0	0	0	0
005.89	Other bacterial food poisoning	A05.4	Foodborne Bacillus cereus intoxication	1	0	0	0	0
005.89	Other bacterial food poisoning	A05.8	Other specified bacterial foodborne intoxications	1	0	0	0	0
005.9	Food poisoning, unspecified	A05.9	Bacterial foodborne intoxication, unspecified	0	0	0	0	0
006.0	Acute amebic dysentery without mention of abscess	A06.0	Acute amebic dysentery	0	0	0	0	0
006.1	Chronic intestinal amebiasis without mention of abscess	A06.1	Chronic intestinal amebiasis	0	0	0	0	0

Ch8map Ch9map Ch10map Ch11map Ch12map Ch13map Ch14map Ch15map Ch16map Ch17map Ch18map Ch19map Ch20map Ch21map ICD9CMmap

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

ICD-9-CM - ICD-10-PCS Mapping

International Classification of Diseases 10th Revision Procedure Coding System

versie/version 2012

Federale Overheidsdienst Volksgezondheid, Veiligheid van de Voedselketen en Leefmilieu

Service Public Fédéral Santé Publique, Sécurité de la Chaine Alimentaire et Environnement

Directoraat-Generaal Gezondheidszorg / Directorat-Général Soins de Santé
Dienst Datamanagement / Service Datamanagement

Dit bestand bevat ICD-10-PCS Alfabetische Index, Systematische Lijst en "mappings"
Ce fichier contient l'index Alphabétique, la Liste Numérique et les "mappings" de l'ICD-10-PCS

Dit bestand bevat / Ce fichier contient:
- → De officiële ICD-10-PCS codeemchtlijnen / Les directives officielles de codage ICD-10-PCS
- → De alfabetische index / L'index alphabétique
- → De systematische lijst / La liste numérique
- → Uitleg over de mapping / Clarification au sujet du mappping
- → Mapping van ICD-9-CM naar ICD-10-CM / Mapping d'ICD-9-CM vers l'ICD-10-CM
- → Mapping van ICD-10-CM naar ICD-9-CM / Mapping d'ICD-10-CM vers l'ICD-9-CM

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Start   Invoegen   Pagina-indeling   Formules   Gegevens   Controleren   Beeld   Ontwikkelaars

Pagina-eindevoorbeeld   Liniaal   Formulebalk   In-/uitzoomen   100%   Inzoomen op selectie   Nieuw venster   Alle vensters   Deelvensters blokkeren   Splitsen   Verbergen   Zichtbaar maken

Normaal   Pagina-indeling   Aangepaste weergaven   Rasterlijnen   Koppen   Volledig scherm   Berichtenbalk

Werkmapweergaven   Weergeven/verbergen   In-/uitzoomen   Venster

A1   *   fx   '00   Medical and Surgical - Central Nervous System

	A	B	C	D	E	F
1	00	Medical and Surgical - Central Nervous System				
2	001	Section	0 Medical and Surgical			
3		Body System	0 Central Nervous system			
4		Operation	1 Bypass: Altering the route of passage of the contents of a tubular body part			
5		**Body Part**	**Approach**	**Device**	**Qualifier**	
6		6 Cerebral Ventricle	0 Open	7 Autologous Tissue Substitute	0 Nasopharynx	
7			3 Percutaneous	J Synthetic Substitute	1 Mastoid Sinus	
8				K Nonautologous Tissue Substitute	2 Atrium	
9					3 Blood Vessel	
10					4 Pleural Cavity	
11					5 Intestine	
12					6 Peritoneal Cavity	
13					7 Urinary Tract	
14					8 Bone Marrow	
15					B Cerebral Cisterns	
16		U Spinal Canal	0 Open	7 Autologous Tissue Substitute	4 Pleural Cavity	
17			3 Percutaneous	J Synthetic Substitute	6 Peritoneal Cavity	
18				K Nonautologous Tissue Substitute	7 Urinary Tract	
19					9 Fallopian Tube	
20						
21	001	Central Nervous System, Bypass				
22	0016070	Bypass Cerebral Ventricle to Nasopharynx with Autologous Tissue Substitute, Open Approach				
23	0016071	Bypass Cerebral Ventricle to Mastoid Sinus with Autologous Tissue Substitute, Open Approach				
24	0016072	Bypass Cerebral Ventricle to Atrium with Autologous Tissue Substitute, Open Approach				
25	0016073	Bypass Cerebral Ventricle to Blood Vessel with Autologous Tissue Substitute, Open Approach				

H ◀ ▶ H   Notes   PCS Ref Man   TableIndex   Def   A-ZIndex   00   01   02   03   04   05   06   07   08   09   0B   0C   0D   0F   0G   0H   0J   0K   0L

Gereed

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Codeertool

- Opzoeken van de codes zoals voorgeschreven
  - » eerst alfabetische index
  - » vervolgens de systematische lijst
- Extra functionaliteiten
  - » opzoeken van termen, delen van termen, combinaties van termen en de codes zelf
  - » de inclusies, exclusies, "code also" worden telkens weergegeven
- Electronische versie van het codeerboek
- 2014: doorsturen van de code naar codeerpakket
- http://icd10be.health.belgium.be

Vragen

Dr E. Baert, MZG-coördinator UZ Gent

Demo codeertool

Versie 2014 reeds beschikbaar

- http://Icd10be.health.belgium.be

Search   ICD10CM (2014)

Aarskog's syndrome
Abandonment
Abandonment NEC
Abasia
Abderhalden-Kaufmann-Lignac syndrome
Abdomen, abdominal
Abdominal aortic plexus
Abdominal esophagus
Abdominalgia
Abdominohysterectomy
Abdominoplasty
Abduction contracture, hip or other joint
Abductor hallucis muscle
Aberrant
Aberration
Abetalipoproteinemia
AbioCor® Total Replacement Heart
Abiotrophy
Ablatio, ablation
Ablation
Ablepharia, ablepharon
Abnormal, abnormality, abnormalities
Abnormity
ABOB
Abocclusion
Abolition, language
Aborter, habitual or recurrent
Abortion

a   Search   -Drugs and Chemicals (2014)

ABOB
Abrine
Abrus
Absinthe
Acaricide
Acebutolol
Acecarbromal
Aceclidine
Acedapsone
Acefylline piperazine
Acemorphan
Acenocoumarin
Acenocoumarol
Acepifylline
Acepromazine
Acesulfamethoxypyridazine
Acetal
Acetaldehyde
Acetaminophen
Acetaminosalol
Acetanilide
Acetarsol
Acetazolamide
Acetiamine
Acetic
Acetohexamide
Acetohydroxamic acid

Kleuren per rubriek

Demo codeertool

Diagnosen

federale overheidsdienst

VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

malign neop breast   Search   ICD10CM (2014) ▾

Genetic
    susceptibility to disease NEC Z15.89
        malignant neoplasm Z15.09
            breast Z15.01
History
    family (of) --see also History, personal (of)
        malignant neoplasm NOS (of) Z80.9
            breast Z80.3
    personal (of) --see also History, family (of)
        malignant neoplasm (of) Z85.9
            breast Z85.3
Screening (for) Z13.9
    neoplasm (malignant) (of) Z12.9
        breast Z12.39
            routine mammogram Z12.31
Susceptibility to disease, genetic Z15.89
    malignant neoplasm Z15.09
        breast Z15.01

federale
VOLKSGE

Genetic
  susceptibility to disease NEC <u>Z15.89</u>
    malignant **neoplasm** <u>Z15.09</u>
      breast <u>Z15.01</u>
History
  family (of) --see also History, personal (of)
    malignant **neoplasm** NOS (of) <u>Z80.9</u>
      breast <u>Z80.3</u>
  personal (of) --see also History, family (of)
    in situ **neoplasm**
      breast <u>Z86.000</u>
    malignant **neoplasm** (of) <u>Z85.9</u>
      breast <u>Z85.3</u>
    neoplasm
      in situ
        breast <u>Z86.000</u>
Prophylactic
  organ removal (for **neoplasia** management) <u>Z40.00</u>
    breast <u>Z40.01</u>
Screening (for) <u>Z13.9</u>
  neoplasm (malignant) (of) <u>Z12.9</u>
    breast <u>Z12.39</u>
      routine mammogram <u>Z12.31</u>
Susceptibility to disease, genetic <u>Z15.89</u>
  malignant **neoplasm** <u>Z15.09</u>
    breast <u>Z15.01</u>

	Malignant Primary	Malignant Secondary	Ca in situ
Neoplasm, neoplastic	<u>C80.1</u>	<u>C79.9</u>	<u>D09.9</u>
breast (connective tissue) (glandular tissue) (soft parts)	<u>C50.9-</u>	<u>C79.81</u>	<u>D05.-</u>
areola	<u>C50.0-</u>	<u>C79.81</u>	<u>D05.-</u>
axillary tail	<u>C50.6-</u>	<u>C79.81</u>	<u>D05.-</u>
central portion	<u>C50.1-</u>	<u>C79.81</u>	<u>D05.-</u>
inner	<u>C50.8-</u>	<u>C79.81</u>	<u>D05.-</u>
lower	<u>C50.8-</u>	<u>C79.81</u>	<u>D05.-</u>
lower-inner quadrant	<u>C50.3-</u>	<u>C79.81</u>	<u>D05.-</u>

ICD-10-BE

icd10be.health.belgium.be/default.php#!tabular/2014/C50.0-

IE: UZ Gent   Google Vertalen   MKG start   Universitair ziekenhuis...   Welkom bij Facebook -...   Glaucoom - Microchirur...   IE Tab   ICD10CM   Google Vertalen   UZ Gent   Andere bladwijzers

neop breast   Search   ICD10CM (2014)   Contact

Neoplasms (C00-D49)

Note: Functional activity

All neoplasms are classified in this chapter, whether they are functionally active or not. An additional code from Chapter 4 may be used, to identify functional activity associated with any neoplasm.

Morphology [Histology]

Chapter 2 classifies neoplasms primarily by site (topography), with broad groupings for behavior, malignant, in situ, benign, etc. The Table of Neoplasms should be used to identify the correct topography code. In a few cases, such as for malignant melanoma and certain neuroendocrine tumors, the morphology (histologic type) is included in the category and codes.

Primary malignant neoplasms overlapping site boundaries

A primary malignant neoplasm that overlaps two or more contiguous (next to each other) sites should be classified to the subcategory/code .8 ('overlapping lesion'), unless the combination is specifically indexed elsewhere. For multiple neoplasms of the same site that are not contiguous, such as tumors in different quadrants of the same breast, codes for each site should be assigned.

Malignant neoplasm of ectopic tissue

Malignant neoplasms of ectopic tissue are to be coded to the site mentioned, e.g., ectopic pancreatic malignant neoplasms are coded to pancreas, unspecified (C25.9).

Malignant neoplasms (C00-C96)

Malignant neoplasms, stated or presumed to be primary (of specified sites), and certain specified histologies, except neuroendocrine, and of lymphoid, hematopoietic and related tissue (C00-C75)

Malignant neoplasms of breast (C50)

C50   **Malignant neoplasm of breast**

Includes: connective tissue of breast
Paget's disease of breast
Paget's disease of nipple

Use additional code to identify estrogen receptor status (Z17.0, Z17.1)

Excludes1: skin of breast (C44.501, C44.511, C44.521, C44.591)

C50.0   **Malignant neoplasm of nipple and areola**

C50.01   **Malignant neoplasm of nipple and areola, female**

C50.011   Malignant neoplasm of nipple and areola, right female breast

C50.012   Malignant neoplasm of nipple and areola, left female breast

C50.019   Malignant neoplasm of nipple and areola, unspecified female breast

C50.02   Malignant neoplasm of nipple and areola, male

C50.021   Malignant neoplasm of nipple and areola, right male breast

C50.022   Malignant neoplasm of nipple and areola, left male breast

C50.029   Malignant neoplasm of nipple and areola, unspecified male breast

ICD-10-BE

icd10be.health.belgium.be/default.php#!search/2014//fractu radius

IE: UZ Gent | Google Vertalen | MKG start | Universitair ziekenhuis... | Welkom bij Facebook -... | Glaucoom - Microchirur... | IE Tab | ICD10CM | Google Vertalen | UZ Gent | Andere bladwijzers

fractu radius | Search | ICD10CM (2014) | Contact

Birth
   injury NOS P15.9
      fracture
        radius and ulna P13.3
Fracture, pathological (pathologic) --see also Fracture, traumatic M84.40
   due to
      neoplastic disease NEC --see also Neoplasm M84.50
        radius M84.53-
      specified disease NEC M84.60
        radius M84.63-
   radius M84.43-
Fracture, traumatic (abduction) (adduction) (separation) --see also Fracture, pathological T14.8
   arm (upper) --see also Fracture, humerus, shaft
     radius --see Fracture, radius
   following insertion of orthopedic implant, joint prosthesis or bone plate (intraoperative) (postoperative) M96.69
     radius M96.63-
   forearm S52.9-
     radius --see Fracture, radius
   radius S52.9-
     distal end --see Fracture, radius, lower end
     following insertion of implant, prosthesis or plate M96.63-
     head --see Fracture, radius, upper end, head
     lower end S52.50-
       Barton's --see Barton's fracture
       Colles' --see Colles' fracture
       extraarticular NEC S52.55-
       intraarticular NEC S52.57-
       physeal S59.20-
        Salter-Harris
         Type I S59.21-
         Type II S59.22-
         Type III S59.23-
         Type IV S59.24-
        specified NEC S59.29-
       Smith's --see Smith's fracture
       specified NEC S52.59-
       styloid process (displaced) S52.51-
        nondisplaced S52.51-
       torus S52.52-
     neck --see Fracture, radius, upper end
     proximal end --see Fracture, radius, upper end
     shaft S52.30-

fractu radius   [Search]   ICD10CM (2014)

Injury, poisoning and certain other consequences of external causes (S00-T88)

Note: The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to unspecified body regions as well as poisoning and certain other consequences of external causes.

Note: Use secondary code(s) from Chapter 20, External causes of morbidity, to indicate cause of injury. Codes within the T section that include the external cause do not require an additional external cause code

Use additional code to identify any retained foreign body, if applicable (Z18.-)

Excludes1: birth trauma (P10-P15)
　　　　　 obstetric trauma (O70-O71)

Injuries to the elbow and forearm (S50-S59)

Excludes2: burns and corrosions (T20-T32)
　　　　　 frostbite (T33-T34)
　　　　　 injuries of wrist and hand (S60-S69)
　　　　　 insect bite or sting, venomous (T63.4)

S59 **Other and unspecified injuries of elbow and forearm**

　　Excludes2: other and unspecified injuries of wrist and hand (S69.-)

　　The appropriate 7th character is to be added to each code from subcategories S59.0, S59.1, and S59.2
　　　　A - initial encounter for closed fracture
　　　　D - subsequent encounter for fracture with routine healing
　　　　G - subsequent encounter for fracture with delayed healing
　　　　K - subsequent encounter for fracture with nonunion
　　　　P - subsequent encounter for fracture with malunion
　　　　S - sequela

　　S59.2 **Physeal fracture of lower end of radius**

　　　　S59.21 **Salter-Harris Type I physeal fracture of lower end of radius**

　　　　　　S59.211 **Salter-Harris Type I physeal fracture of lower end of radius, right arm**

　　　　　　S59.212 **Salter-Harris Type I physeal fracture of lower end of radius, left arm**

　　　　　　S59.219 **Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm**

Pregnancy (single) (uterine) --see also Delivery and Puerperal
  complicated by (care of) (management affected by)
    hemorrhage
      due to **premature** separation, placenta --see also Abruptio placentae O45.9-
    oligohydramnios O41.0-
      with **premature** rupture of membranes --see also Pregnancy, complicated by, premature rupture of membranes O42.-
    premature labor --see Pregnancy, complicated by, preterm labor
    premature rupture of membranes O42.90
      full-term O42.92
      with onset of labor
        within 24 hours O42.00
          after 37 weeks gestation O42.02
          pre-term (before 37 completed weeks of gestation) O42.01-
        after 24 hours O42.10
          after 37 weeks gestation O42.12
          pre-term (before 37 completed weeks of gestation) O42.11-
      after 37 weeks gestation O42.92
      pre-term (before 37 completed weeks of gestation) O42.91-
    premature separation of placenta --see also Abruptio placentae O45.9-
    rupture
      amnion **(premature)** --see also Pregnancy, complicated by, premature rupture of membranes O42-
      membranes **(premature)** --see also Pregnancy, complicated by, premature rupture of membranes O42-

Pregnancy, childbirth and the puerperium (O00-O9A)

Note: CODES FROM THIS CHAPTER ARE FOR USE ONLY ON MATERNAL RECORDS, NEVER ON NEWBORN RECORDS

Codes from this chapter are for use for conditions related to or aggravated by the pregnancy, childbirth, or by the puerperium (maternal causes or obstetric causes)

Trimesters are counted from the first day of the last menstrual period. They are defined as follows:

1st trimester- less than 14 weeks 0 days

2nd trimester- 14 weeks 0 days to less than 28 weeks 0 days

3rd trimester- 28 weeks 0 days until delivery

Use additional code from category Z3A, Weeks of gestation, to identify the specific week of the pregnancy

Excludes1: supervision of normal pregnancy (Z34.-)

Excludes2: mental and behavioral disorders associated with the puerperium (F53)

obstetrical tetanus (A34)

postpartum necrosis of pituitary gland (E23.0)

puerperal osteomalacia (M83.0)

Maternal care related to the fetus and amniotic cavity and possible delivery problems (O30-O48)

O42 **Premature rupture of membranes**

O42.9 **Premature rupture of membranes, unspecified as to length of time between rupture and onset of labor**

O42.92 **Full-term premature rupture of membranes, unspecified as to length of time between rupture and onset of labor**

Premature rupture of membranes after 37 completed weeks of gestation

i21. | Search | ICD10CM (2014) ▼

Diseases of the circulatory system (I00-I99)

Excludes2: certain conditions originating in the perinatal period (P04-P96)

certain infectious and parasitic diseases (A00-B99)

complications of pregnancy, childbirth and the puerperium (O00-O9A)

congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)

endocrine, nutritional and metabolic diseases (E00-E88)

injury, poisoning and certain other consequences of external causes (S00-T88)

neoplasms (C00-D49)

symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94)

systemic connective tissue disorders (M30-M36)

transient cerebral ischemic attacks and related syndromes (G45.-)

Ischemic heart diseases (I20-I25)

Use additional code to identify presence of hypertension (I10-I15)

I21 **ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction**

Includes: cardiac infarction

coronary (artery) embolism

coronary (artery) occlusion

coronary (artery) rupture

coronary (artery) thrombosis

infarction of heart, myocardium, or ventricle

myocardial infarction specified as acute or with a stated duration of 4 weeks (28 days) or less from onset

Use additional code, if applicable, to identify:

exposure to environmental tobacco smoke (Z77.22)

history of tobacco use (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31)

status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z92.82)

tobacco dependence (F17.-)

tobacco use (Z72.0)

Excludes2: old myocardial infarction (I25.2)

postmyocardial infarction syndrome (I24.1)

subsequent myocardial infarction (I22.-)

I21.0 **ST elevation (STEMI) myocardial infarction of anterior wall**

I21.01 **ST elevation (STEMI) myocardial infarction involving left main coronary artery**

I21.02 **ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery**

ST elevation (STEMI) myocardial infarction involving diagonal coronary artery

I21.09 **ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall**

Demo codeertool

Procedures

Painful --see also Pain
    joint **replacement (hip)** (knee) T84.84
Replacement by artificial or mechanical device or prosthesis of
    joint Z96.60
        hip --see Presence, hip joint implant
Status (post) --see also Presence (of)
    organ **replacement**
        by artificial or mechanical device or prosthesis of
            joint Z96.60
                hip --see Presence, hip joint implant

Partial joint **replacement**
    Hip *see* Replacement, Lower Joints 0SR
Replacement
    Joint
        Hip
            Left 0SRB
                Acetabular Surface 0SRE
                Femoral Surface 0SRS
            Right 0SR9
                Acetabular Surface 0SRA
                Femoral Surface 0SRR
    Tendon
        Hip
            Left 0LRK[04][7JK]Z
            Right 0LRJ[04][7JK]Z

Section	0 Medical and Surgical
Body System	S Lower Joints
Operation	R Replacement: Putting in or on biological or synthetic material that physically takes the place and/or function of all or a portion of a body part

| Code Description | Lower Joints, Replacement |

Body Part (Clear)	Approach (Clear)	Device (Clear)	Qualifier (Clear)
○ 0 Lumbar Vertebral Joint		○ 0 Synthetic Substitute, Polyethylene	
○ 2 Lumbar Vertebral Disc		○ 1 Synthetic Substitute, Metal	
○ 3 Lumbosacral Joint		○ 2 Synthetic Substitute, Metal on Polyethylene	
○ 4 Lumbosacral Disc		○ 3 Synthetic Substitute, Ceramic	
○ 5 Sacrococcygeal Joint		○ 4 Synthetic Substitute, Ceramic on Polyethylene	
○ 6 Coccygeal Joint		○ 7 Autologous Tissue Substitute	
○ 7 Sacroiliac Joint, Right		○ J Synthetic Substitute	
○ 8 Sacroiliac Joint, Left		○ K Nonautologous Tissue Substitute	
○ 9 Hip Joint, Right			
○ A Hip Joint, Acetabular Surface, Right			
○ B Hip Joint, Left			
○ C Knee Joint, Right			
○ D Knee Joint, Left			
⊙ E Hip Joint, Acetabular Surface, Left	⊙ 0 Open		○ 9 Cemented
○ F Ankle Joint, Right			○ A Uncemented
○ G Ankle Joint, Left			○ Z No Qualifier
○ H Tarsal Joint, Right			
○ J Tarsal Joint, Left			
○ K Metatarsal-Tarsal Joint, Right			
○ L Metatarsal-Tarsal Joint, Left			
○ M Metatarsal-Phalangeal Joint, Right			
○ N Metatarsal-Phalangeal Joint, Left			
○ P Toe Phalangeal Joint, Right			
○ Q Toe Phalangeal Joint, Left			
○ R Hip Joint, Femoral Surface, Right			
○ S Hip Joint, Femoral Surface, Left			
○ T Knee Joint, Femoral Surface, Right			
○ U Knee Joint, Femoral Surface, Left			
○ V Knee Joint, Tibial Surface, Right			
○ W Knee Joint, Tibial Surface, Left			

Section	0 Medical and Surgical
Body System	S Lower Joints
Operation	R Replacement: Putting in or on biological or synthetic material that physically takes the place and/or function of all or a portion of a body part

| Code Description | Lower Joints, Replacement |

Body Part (Clear)	Approach (Clear)	Device (Clear)	Qualifier (Clear)
○ 0 Lumbar Vertebral Joint			
○ 2 Lumbar Vertebral Disc			
○ 3 Lumbosacral Joint			
○ 4 Lumbosacral Disc			
○ 5 Sacrococcygeal Joint			
○ 6 Coccygeal Joint			
○ 7 Sacroiliac Joint, Right			
○ 8 Sacroiliac Joint, Left			
○ 9 Hip Joint, Right			
○ A Hip Joint, Acetabular Surface, Right		○ 0 Synthetic Substitute, Polyethylene	
○ B Hip Joint, Left		○ 1 Synthetic Substitute, Metal	
○ C Knee Joint, Right		○ 2 Synthetic Substitute, Metal on Polyethylene	
○ D Knee Joint, Left		○ 3 Synthetic Substitute, Ceramic	
○ E Hip Joint, Acetabular Surface, Left	● 0 Open	○ 4 Synthetic Substitute, Ceramic on Polyethylene	○ 9 Cemented
○ F Ankle Joint, Right		○ 7 Autologous Tissue Substitute	○ A Uncemented
○ G Ankle Joint, Left		○ J Synthetic Substitute	○ Z No Qualifier
○ H Tarsal Joint, Right		○ K Nonautologous Tissue Substitute	
○ J Tarsal Joint, Left			
○ K Metatarsal-Tarsal Joint, Right			
○ L Metatarsal-Tarsal Joint, Left			
○ M Metatarsal-Phalangeal Joint, Right			
○ N Metatarsal-Phalangeal Joint, Left			
○ P Toe Phalangeal Joint, Right			
○ Q Toe Phalangeal Joint, Left			
○ R Hip Joint, Femoral Surface, Right			
○ S Hip Joint, Femoral Surface, Left			
○ T Knee Joint, Femoral Surface, Right			
○ U Knee Joint, Femoral Surface, Left			
○ V Knee Joint, Tibial Surface, Right			
○ W Knee Joint, Tibial Surface, Left			

Osr9 [Search] ICD10CM (2014) ▼

Section	0 Medical and Surgical
Body System	S Lower Joints
Operation	R Replacement: Putting in or on biological or synthetic material that physically takes the place and/or function of all or a portion of a body part

Code Description	Lower Joints, Replacement

Body Part (Clear)

- ○ 0 Lumbar Vertebral Joint
- ○ 2 Lumbar Vertebral Disc
- ○ 3 Lumbosacral Joint
- ○ 4 Lumbosacral Disc
- ○ 5 Sacrococcygeal Joint
- ○ 6 Coccygeal Joint
- ○ 7 Sacroiliac Joint, Right
- ○ 8 Sacroiliac Joint, Left
- ⦿ 9 Hip Joint, Right
- ○ A Hip Joint, Acetabular Surface, Right
- ○ B Hip Joint, Left
- ○ C Knee Joint, Right
- ○ D Knee Joint, Left
- ○ E Hip Joint, Acetabular Surface, Left
- ○ F Ankle Joint, Right
- ○ G Ankle Joint, Left
- ○ H Tarsal Joint, Right
- ○ J Tarsal Joint, Left
- ○ K Metatarsal-Tarsal Joint, Right
- ○ L Metatarsal-Tarsal Joint, Left
- ○ M Metatarsal-Phalangeal Joint, Right
- ○ N Metatarsal-Phalangeal Joint, Left
- ○ P Toe Phalangeal Joint, Right
- ○ Q Toe Phalangeal Joint, Left
- ○ R Hip Joint, Femoral Surface, Right
- ○ S Hip Joint, Femoral Surface, Left
- ○ T Knee Joint, Femoral Surface, Right
- ○ U Knee Joint, Femoral Surface, Left
- ○ V Knee Joint, Tibial Surface, Right
- ○ W Knee Joint, Tibial Surface, Left

Approach (Clear)

- ⦿ 0 Open

Device (Clear)

- ○ 0 Synthetic Substitute, Polyethylene
- ○ 1 Synthetic Substitute, Metal
- ○ 2 Synthetic Substitute, Metal on Polyethylene
- ○ 3 Synthetic Substitute, Ceramic
- ○ 4 Synthetic Substitute, Ceramic on Polyethylene
- ○ 7 Autologous Tissue Substitute
- ○ J Synthetic Substitute
- ○ K Nonautologous Tissue Substitute

Qualifier (Clear)

- ○ 9 Cemented
- ○ A Uncemented
- ○ Z No Qualifier

hyste

Search   ICD10CM (2014)

Hysteralgia, pregnant uterus
Hysterectomy
Hysteria, hysterical
Hysteroepilepsy
Hysterolysis
Hysteropexy
Hysteroplasty
Hysterorrhaphy
Hysteroscopy
Hysterotomy
Hysterotrachelectomy
Hysterotracheloplasty
Hysterotrachelorrhaphy

hyste   Search   ICD10CM (2014)

Hysterectomy
    see Excision, Uterus 0UB9
    see Resection, Uterus 0UT9

hyste   Search   ICD10CM (2014)

Excision
    Uterus 0UB9[03478]Z[XZ]

hyste   Search   ICD10CM (2014)

Resection
    Uterus 0UT9[0478F]ZZ

CAVE: enkel uterus, dus afzonderlijk, ovaria, cervix, …

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU

Section	0 Medical and Surgical
Body System	U Female Reproductive System
Operation	T Resection: Cutting out or off, without replacement, all of a body part

Code Description	Female Reproductive System, Resection

Body Part (Clear)	Approach (Clear)	Device (Clear)	Qualifier (Clear)
○ 0 Ovary, Right ○ 1 Ovary, Left ○ 2 Ovaries, Bilateral ○ 4 Uterine Supporting Structure ○ 5 Fallopian Tube, Right ○ 6 Fallopian Tube, Left ○ 7 Fallopian Tubes, Bilateral ⦿ 9 Uterus ○ C Cervix ○ F Cul-de-s... ○ G Vagina ○ J Clitoris ○ K Hymen ○ L Vestibular Gland ○ M Vulva	○ 0 Open ○ 4 Percutaneous Endoscopic ○ 7 Via Natural or Artificial Opening ○ 8 Via Natural or Artificial Opening Endoscopic ○ F Via Natural or Artificial Opening With Percutaneous Endoscopic Assistance ○ X External	⦿ Z No Device	⦿ Z No Qualifier

Includes: Fundus uteri
Myometrium
Perimetrium
Uterine cornu

Section	0 Medical and Surgical		
Body System	U Female Reproductive System		
Operation	T Resection: Cutting out or off, without replacement, all of a body]part		

Code Description	Female Reproductive System, Resection		**Includes:** Total nephrectomy, total lobectomy of lung

Body Part (Clear)	Approach (Clear)	Device (Clear)	Qualifier (Clear)
○ 0 Ovary, Right ○ 1 Ovary, Left ○ 2 Ovaries, Bilateral ○ 4 Uterine Supporting Structure ○ 5 Fallopian Tube, Right ○ 6 Fallopian Tube, Left ○ 7 Fallopian Tubes, Bilateral ◉ 9 Uterus ○ C Cervix ○ F Cul-de-sac ○ G Vagina ○ J Clitoris ○ K Hymen ○ L Vestibular Gland ○ M Vulva	○ 0 Open ○ 4 Percutaneous Endoscopic ○ 7 Via Natural or Artificial Opening ○ 8 Via Natural or Artificial Opening Endoscopic ○ F Via Natural or Artificial Opening With Percutaneous Endoscopic Assistance ○ X External	◉ Z No Device	◉ Z No Qualifier

Section	0 Medical and Surgical
Body System	U Female Reproductive System
Operation	B Excision: Cutting out or off, without replacement, a portion of a body part

Code Description	Female Reproductive System, Excision

Explanation: The qualifier DIAGNOSTIC is used to identify excision procedures that are biopsies

Includes: Partial nephrectomy, liver biopsy

Body Part (Clear)	Approach (Clear)		
○ 0 Ovary, Right			
○ 1 Ovary, Left			
○ 2 Ovaries, Bilateral			
○ 4 Uterine Supporting Structure			
○ 5 Fallopian Tube, Right	○ 0 Open		
○ 6 Fallopian Tube, Left	○ 3 Percutaneous		
○ 7 Fallopian Tubes, Bilateral	○ 4 Percutaneous Endoscopic		○ X Diagnostic
⦿ 9 Uterus	○ 7 Via Natural or Artificial Opening	⦿ Z No Device	○ Z No Qualifier
○ C Cervix	○ 8 Via Natural or Artificial Opening Endoscopic		
○ F Cul-de-sac	○ X External		
○ G Vagina			
○ J Clitoris			
○ K Hymen			
○ L Vestibular Gland			
○ M Vulva			

Section	0 Medical and Surgical
Body System	U Female Reproductive System
Operation	B Excision: Cutting out or off, without replacement, a portion of a body part

| Code Description | Female Reproductive System, Excision |

Body Part (Clear)	Approach (Clear)	Device (Clear)	Qualifier (Clear)
○ 0 Ovary, Right			
○ 1 Ovary, Left			
○ 2 Ovaries, Bilateral			
○ 4 Uterine Supporting Structure			
○ 5 Fallopian Tube, Right			
○ 6 Fallopian Tube,	**Includes:** Broad ligament		
○ 7 Fallopian Tubes	Infundibulopelvic ligament		○ X Diagnostic
● 9 Uterus	Ovarian ligament ...s Endoscopic	● Z No Device	○ Z No Qualifier
○ C Cervix	Round ligament of uterus ...l or Artificial Opening		
○ F Cul-de-sac	○ 8 Via Natural or Artificial Opening Endoscopic		
○ G Vagina	○ X External		
○ J Clitoris			
○ K Hymen			
○ L Vestibular Gland			
○ M Vulva			

Vragen

federale overheidsdienst
VOLKSGEZONDHEID, VEILIGHEID VAN DE VOEDSELKETEN EN LEEFMILIEU