

Deze lijst werd gepubliceerd naar aanleiding van artikel 60 van de gecoördineerde wet van 10 juli 2008 op de ziekenhuizen en andere verzorgingsinrichtingen.

1. Belgian Stroke Council, Thijs V, Peeters A, Dewindt A, Hemelsoet D, De Klippel N, et al. Organisation of in-hospital acute stroke care and minimum criteria for stroke care units. Recommendations of the Belgian Stroke Council. *Acta neurologica Belgica*. 2009; 109:247-251
2. Michiels D, Sun Y, Thijs V, Saka Rasit O, Hemelsoet D, Eysen M, et al. Stroke units: Doeltreffendheid en kwaliteitsindicatoren health. 2012: KCE Report 181A
3. Goyal M, Menon BK, van Zwam WH, Dippel DW, Mitchell PJ, Demchuk AM, et al. Endovascular thrombectomy after large-vessel ischaemic stroke: A meta-analysis of individual patient data from five randomised trials. *Lancet*. 2016; 387:1723-1731
4. https://ec.europa.eu/health/state/country_profiles_en
5. Ramsay AI, Morris S, Hoffman A, Hunter RM, Boaden R, McKeivitt c, et al. Effects of centralizing acute stroke services on stroke care provision in two large metropolitan areas in England. *Stroke*. 2015;46/2244-2251
6. Milne MS, Holodinsky JK, Hill MD, Nygren A, Qiu C, Goyal M, et al. Drip 'n ship versus mothership for endovascular treatment: Modeling the best transportation options for optimal outcomes. *Stroke*. 2017; 48: 791-794
7. Holodinsky JK, Williamson TS, Kamal N, Mayank D, Hill MD, Goyal M. Drip and ship versus direct to comprehensive stroke center: Conditional probability modeling. *Stroke*. 2017;48:233-238
8. Hubert GJ, Meretoja A, Audebert HJ, Tatlisumak T, Zeman F, Boy S, et al. Stroke thrombolysis in a centralized and a decentralized system (Helsinki and telemedical project for integrative stroke care network). *Stroke*. 2016;47:2999-3004
9. Gupta R, Horev A, Nguyen T, Gandhi D, Wisco D, Glenn BA, et al. Higher volume endovascular stroke centers have faster times to treatment, higher reperfusion rates and higher rates of good clinical outcomes. *J Neurointerv Surg*. 2013;5:294-297
10. Rinaldo L, Brinjikji W, Rabinstein AA. Transfer to high-volume centers associated with reduced mortality after endovascular treatment of acute stroke. *Stroke*. 2017;48:1316-1321
11. Berkhemer OA, Fransen PS, Beumer D, van den Berg LA, Lingsma HF, Yoo AJ, et al. A randomized trial of intraarterial treatment for acute ischemic stroke. *The New England journal of medicine*. 2015;372:11-20
12. Saposnik G, Baibergenova A, O'Donnell M, Hill MD, Kapral MK, Hachinski V, et al. Hospital volume and stroke outcome: Does it matter? *Neurology*. 2007;69:1142-1151
13. Svendsen ML, Ehlers LH, Ingeman A, Johnsen SP. Higher stroke unit volume associated with improved quality of early stroke care and reduced length of stay. *Stroke*. 2012;43:3041-3045
14. Wada T, Yasunaga H, Inokuchi R, Horiguchi H, Fushimi K, Matsubara T, et al. Relationship between hospital volume and early outcomes in acute ischemic stroke patients treated with recombinant tissue plasminogen activator. *Int J Stroke*. 2015;10:73-78



15. Spiotta AM, Vargas J, Turner R, Chaudry MI, Battenhouse H, Turk AS. The golden hour of stroke intervention: Effect of thrombectomy procedural time in acute ischemic stroke on outcome. *J Neurointerv Surg.* 2014;6:511-516
16. Menon BK, Almekhlafi MA, Pereira VM, Gralla J, Bonafe A, Davalos A, et al. Optimal workflow and process-based performance measures for endovascular therapy in acute ischemic stroke: Analysis of the solitaire fr thrombectomy for acute revascularization study. *Stroke.* 2014;45:2024-2029
17. Mehta BP, Leslie-Mazwi TM, Chandra RV, Bell DL, Sun CH, Hirsch JA, et al. Reducing door-topuncture times for intra-arterial stroke therapy: A pilot quality improvement project. *J Am Heart Assoc.* 2014;3:e000963
18. Goyal M, Menon BK, Hill MD, Demchuk A. Consistently achieving computed tomography to endovascular recanalization <90 minutes: Solutions and innovations. *Stroke.* 2014;45:e252-256
19. Holodinsky JK, Kamal N, Wilson AT, Hill MD, Goyal M. Workflow in acute stroke: What is the 90th percentile? *Stroke.* 2017
20. Perez de la Ossa N, Abilleira S, Dorado L, Urra X, Ribo M, Cardona P, et al. Access to endovascular treatment in remote areas: Analysis of the reperfusion treatment registry of catalonia. *Stroke.* 2016;47:1381-1384
21. Training guidelines for endovascular ischemic stroke intervention: An international multisociety consensus document. *J Neurointerv Surg.* 2016;8:989-991
22. Rai AT. The stroke interventionalist. *J Neurointerv Surg.* 2016;8:333-334
23. Flodmark O, Grisold W, Richling B, Mudra H, Demuth R, Pierot L. Training of future interventional neuroradiologists: The european approach. *Stroke.* 2012;43:2810-2813
24. Janjua N, Qureshi AI, Zaidat OO. Systemization of advanced stroke care: The dollars and sense of comprehensive stroke centers. *J Neurointerv Surg.* 2014;6:162-165
25. Vespa P, Diringner MN, Participants in the International Multi-Disciplinary Consensus Conference on the Critical Care Management of Subarachnoid H. High-volume centers. *Neurocrit Care.* 2011;15:369-372
26. Grigoryan M, Chaudhry SA, Hassan AE, Suri FK, Qureshi AI. Neurointerventional procedural volume per hospital in united states. *Stroke.* 2012;43:1309-1314
27. Ganesalingam J, Pizzo E, Morris S, Sunderland T, Ames D, Lobotesis K. Cost-utility analysis of mechanical thrombectomy using stent retrievers in acute ischemic stroke. *Stroke.* 2015;46:2591-2598
28. Mangla S, O'Connell K, Kumari D, Shahrzad M. Novel model of direct and indirect cost-benefit analysis of mechanical embolectomy over iv tpa for large vessel occlusions: A real-world dollar analysis based on improvements in mrs. *J Neurointerv Surg.* 2016
29. Kunz WG, Hunink MG, Sommer WH, Beyer SE, Meinel FG, Dorn F, et al. Cost-effectiveness of endovascular stroke therapy: A patient subgroup analysis from a us healthcare perspective. *Stroke.* 2016;47:2797-2804
30. Aronsson M, Persson J, Blomstrand C, Wester P, Levin LA. Cost-effectiveness of endovascular thrombectomy in patients with acute ischemic stroke. *Neurology.* 2016;86:1053-1059
31. Leppert MH, Campbell JD, Simpson JR, Burke JF. Cost-effectiveness of intra-arterial treatment as an adjunct to intravenous tissue-type plasminogen activator for acute ischemic stroke. *Stroke.* 2015;46:1870-1876



32. Leifer D, Bravata DM, Connors JJ, 3rd, Hinchey JA, Jauch EC, Johnston SC, et al. Metrics for measuring quality of care in comprehensive stroke centers: Detailed follow-up to brain attack coalition comprehensive stroke center recommendations: A statement for healthcare professionals from the american heart association/american stroke association. *Stroke*. 2011;42:849-877
33. Vanacker P, Lambrou D, Eskandari A, Mosimann PJ, Maghraoui A, Michel P. Eligibility and predictors for acute revascularization procedures in a stroke center. *Stroke*. 2016;47:1844-1849
34. Tawil SE, Cheripelli B, Huang X, Moreton F, Kalladka D, MacDougal NJ, et al. How many stroke patients might be eligible for mechanical thrombectomy? *European Stroke Journal*. 2016
35. Rai AT, Seldon AE, Boo S, Link PS, Domico JR, Tarabishy AR, et al. A population-based incidence of acute large vessel occlusions and thrombectomy eligible patients indicates significant potential for growth of endovascular stroke therapy in the USA. *Journal of NeuroInterventional Surgery*. 2016:neurintsurg-2016-012515
36. Kiekens C, Van Rie K, Leys M, Cleemput I, Smet M, Kesteloot K, et al. Organisation et financement de la réadaptation locomotrice et neurologique en Belgique. Brussels: Centre fédéral d'expertise des soins de santé (KCE); 2007. Health Services Research (HSR) 57B Available from: https://kce.fgov.be/sites/default/files/page_documents/d20071023019.pdf
37. Thijs V, Dewilde S, Putman K, Pince H. Cost of hospitalization for cerebrovascular disorders in Belgium. *Acta Neurol.Belg*. 2011;111(2):104-10.
38. Mackey J, Mensah G. *The Atlas of Heart Disease and Stroke*. 2004.
39. Stroke Unit Trialists' Collaboration. Collaborative systematic review of the randomised trials of organised inpatient (stroke unit) care after stroke. 1997(314):1151-9.
40. Thonnard J, Arnould C, Penta M, Nielens H, Pendeville E, Van Den Steen D, et al. Functional status of the patient: a potential tool for the reimbursement of physiotherapy in Belgium? Brussels: Belgian Health Care Knowledge Centre (KCE); 2006. Good Clinical Practice (GCP). Report 40C Available from: <https://kce.fgov.be/publication/report/functional-status-of-the-patient-a-potential-tool-for-the-reimbursement-of-physio>
41. Leclercq A, De Gauquier K, Ceuppens A, Boly J, Van Den Steen D, D. P. Consumption of physiotherapy and physical and rehabilitation medicine in Belgium. Brussels: Belgian Health Care Knowledge Centre (KCE); 2008. Health Services Research (HSR) KCE report 87C Available from: <https://kce.fgov.be/publication/report/consumption-of-physiotherapy-and-physical-and-rehabilitation-medicine-in-belgium>
42. Askim T, Morkved S, Indredavik B. Does an extended stroke unit service with early supported discharge have any effect on balance or walking speed? *J.Rehabil.Med*. 2006;38(6):368-74.
43. Fagerberg B, Claesson L, Gosman-Hedstrom G, Blomstrand C. Effect of acute stroke unit care integrated with care continuum versus conventional treatment: A randomized 1-year study of elderly patients: the Goteborg 70+ Stroke Study. *Stroke*. 2000;31(11):2578-84.
44. Fjaertoft H, Indredavik B, Lydersen S. Stroke unit care combined with early supported discharge: long-term follow-up of a randomized controlled trial. *Stroke*. 2003;34(11):2687-91.
45. Indredavik B, Bakke F, Slordahl SA, Rokseth R, Haheim LL. Stroke unit treatment. 10-year follow-up. *Stroke*. 1999;30(8):1524-7.



46. Langhorne P, Stott D, Knight A, Bernhardt J, Barer D, Watkins C. Very early rehabilitation or intensive telemetry after stroke: a pilot randomised trial. *Cerebrovasc.Dis.* 2010;29(4):352-60.
47. Stroke Unit Trialists' Collaboration. Organised inpatient (stroke unit) care for stroke (Review). 2009(1).
48. Thijs V, Peeters A, Dewindt A, Hemelsoet D, De KN, Laloux P, et al. Organisation of in-hospital acute stroke care and minimum criteria for stroke care units. Recommendations of the Belgian Stroke Council. *Acta Neurol.Belg.* 2009;109(4):247-51.
49. Stroke Unit Trialists' Collaboration. Organised inpatient (stroke unit) care for stroke. Stroke Unit Trialists' Collaboration. *Cochrane Database Syst.Rev.* 2000(2):CD000197.
50. Kasner SE. Clinical interpretation and use of stroke scales. *Lancet Neurol.* 2006;5(7):603-12.
51. Kwon S, Hartzema AG, Duncan PW, Min-Lai S. Disability measures in stroke: relationship among the Barthel Index, the Functional Independence Measure, and the Modified Rankin Scale. *Stroke.* 2004;35(4):918-23.
52. Uyttenboogaart M, Stewart RE, Vroomen PC, De Keyser J, Luijckx GJ. Optimizing cutoff scores for the Barthel index and the modified Rankin scale for defining outcome in acute stroke trials. *Stroke.* 2005;36(9):1984-7.
53. Stavem K, Ronning OM. Quality of life 6 months after acute stroke: impact of initial treatment in a stroke unit and general medical wards. *Cerebrovasc.Dis.* 2007;23(5-6):417-23.
54. Ronning OM, Guldvog B. Stroke unit versus general medical wards, II: neurological deficits and activities of daily living: a quasirandomized controlled trial. *Stroke.* 1998;29(3):586-90.
55. Spengos K, Tsvigoulis G, Manios E, Papamichael C, Konstantinopoulou A, Vemmos K. Which patients benefit most from treatment in a stroke unit? *Stroke.* 2004;294.
56. Vemmos K, Takis K, Madelos D, Synetos A, Volotasiou V, Tzavellas H. Stroke unit treatment versus general medical wards: long term survival. 2001;11 Suppl:4-8.
57. Ma RH, Wang YJ, Qu H, Yang ZH. Assessment of the early effectiveness of a stroke unit in comparison to the general ward. *Chin Med.J.(Engl.).* 2004;117(6):852-5.
58. Hankey GJ, Deleo D, Stewart-Wynne EG. Stroke units: an Australian perspective. *Aust.N.Z.J.Med.* 1997;27(4):437-8.
59. Indredavik B, Bakke F, Solberg R, Rokseth R, Haaheim LL, Holme I. Benefit of a stroke unit: a randomized controlled trial. *Stroke.* 1991;22(8):1026-31.
60. Indredavik B, Slordahl SA, Bakke F, Rokseth R, Haheim LL. Stroke unit treatment. Long-term effects. *Stroke.* 1997;28(10):1861-6.
61. Cabral NL, Moro C, Silva GR, Scola RH, Werneck LC. Study comparing the stroke unit outcome and conventional ward treatment: a randomized study in Joinville, Brazil. *Arq Neuropsiquiatr.* 2003;61(2A):188-93.
62. Garraway WM, Akhtar AJ, Hockey L, Prescott RJ. Management of acute stroke in the elderly: follow-up of a controlled trial. *Br.Med.J.* 1980;281(6244):827-9.
63. Garraway WM, Akhtar AJ, Prescott RJ, Hockey L. Management of acute stroke in the elderly: preliminary results of a controlled trial. *Br.Med.J.* 1980;280(6220):1040-3.
64. Strand T, Asplund K, Eriksson S, Hagg E, Lithner F, Wester PO. A non-intensive stroke unit reduces functional disability and the need for long-term hospitalization. *Stroke.* 1985;16(1):29-34.



65. study of stroke patients treated in a non-intensive stroke unit or in general medical wards. *Acta Med.Scand.* 1980;208(1-2):81-5.
66. Kalra L, Evans A, Perez I, Knapp M, Donaldson N, Swift CG. Alternative strategies for stroke care: a prospective randomized controlled trial. *Lancet.* 2000;356(9233):894-9.
67. Bernhardt J, Dewey H, Thrift A, Collier J, Donnan G. A very early rehabilitation trial for stroke (AVERT): phase II safety and feasibility. *Stroke.* 2008;39(2):390-6.
68. Cumming TB, Thrift AG, Collier JM, Churilov L, Dewey HM, Donnan GA, et al. Very early mobilization after stroke fast-tracks return to walking: further results from the phase II AVERT randomized controlled trial. *Stroke.* 2011;42(1):153-8.
69. Middleton S, McElduff P, Ward J, Grimshaw JM, Dale S, D'Este C, et al. Implementation of evidence-based treatment protocols to manage fever, hyperglycaemia, and swallowing dysfunction in acute stroke (QASC): a cluster randomised controlled trial. *Lancet.* 2011;378(9804):1699-706.
70. Sulter G, Elting JW, Langedijk M, Maurits NM, De KJ. Admitting acute ischemic stroke patients to a stroke care monitoring unit versus a conventional stroke unit: a randomized pilot study. *Stroke.* 2003;34(1):101-4.
71. Cavallini A, Micieli G, Marcheselli S, Quaglini S. Role of monitoring in management of acute ischemic stroke patients. *Stroke.* 2003;34(11):2599-603.
72. Askim T, Morkved S, Engen A, Roos K, Aas T, Indredavik B. Effects of a community-based intensive motor training program combined with early supported discharge after treatment in a comprehensive stroke unit: a randomized, controlled trial. *Stroke.* 2010;41(8):1697-703.
73. Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients *Cochrane.Database.Syst.Rev.* 2000(2):CD000443.
74. Hamidi V, Wisloff T, Ringerike T, Linnestad KK, Harboe I, Klemp M. Treatment of patients with acute stroke in stroke units (with or without early supported discharge). 2010.
75. Canadian Stroke Strategy. Canadian Best Practice Recommendation for Stroke Care. Update 2010. Canadian Stroke Network; 2010. Available from: http://www.strokebestpractices.ca/wpcontent/uploads/2011/04/2010BPR_ENG.pdf
76. The National Collaborating Centre for Chronic Conditions. Stroke: National clinical guideline for diagnosis and initial management of acute stroke and transient ischaemic attack (TIA). 2008.
77. Craig LE, Bernhardt J, Langhorne P, Wu O. Early mobilization after stroke: an example of an individual patient data meta-analysis of a complex intervention. *Stroke.* 2010;41(11):2632-6.
78. Mainz J. when supervised by health professionals. *Acta Psychiatr.Scand.* 2008;117(5):321-2.
79. Scottish Intercollegiate Guidelines Network (SIGN). Key to evidence statements and grades of recommendations 2012.
80. Abilleira S, Gallofre M, Ribera A, Sanchez E, Tresserras R. Quality of in-hospital stroke care according to evidence-based performance measures: results from the first audit of stroke, Catalonia, Spain. *Stroke.* 2009;40(4):1433-8.
81. Vlayen J, van de Water G, Camberlin C, Paulus D, Leys M, Ramaekers D, et al. Indicateurs de qualitat, cliniques (KCE reports vol. 41B). 2006.
82. Langhorne P, Pollock A. What are the components of effective stroke unit care? *Age Ageing.* 2002;31(5):365-71.



83. Langhorne P, Dey P, Woodman M, Kalra L, Wood-Dauphinee S, Patel N, et al. Is stroke unit care portable? A systematic review of the clinical trials. *Age Ageing*. 2005;34(4):324-30.
84. South London Cardiac and Stroke Network London Stroke Strategy [London;2011 [cited 11-04-2012]. Available from: <http://www.slcsn.nhs.uk/lss/>
85. Roberts MA, Allen A, Langhorne P, McEwen J, Semple DA. Organisation of services for acute stroke in Scotland--report of the Scottish stroke services audit. 2000;58(2):87-95.
86. National Health Services Scotland Scottish Stroke Care Audit website [Edinburgh;2012 [cited 12-04-2012]. Available from: <http://www.strokeaudit.scot.nhs.uk/>
87. Scottish Government Health Directorate Revised strategy for heart disease and stroke in Scotland [Edinburgh;2009 [cited 12-05-2012]. Available from: <http://www.scotland.gov.uk/Publications/2009/06/29102453/0>
88. Västerbotten County Council KA Riks Stroke Reports [Umeå, Sweden;2011 [updated 30-03-2011; cited 10/04/2012]. Available from: <http://www.riks-stroke.org/index.php?content=analyser>
89. National Board of Health and Welfare Stroke Guidelines [Stockholm;2005 [updated 2012/04/27/; cited 05-05-2012]. Available from: <http://www.socialstyrelsen.se/nationalguidelines/nationalguidelinesforstrokecare>
90. Le ministre de la santé et des solidarités France Circulaire numéro DHOS/O4/2007/108 du 22 mars 2007 relative à la place des unités neuro-vasculaires dans la prise en charge des patients présentant un accident vasculaire cérébral [2007 [cited 12 June 2012]. Available from: http://circulaire.legifrance.gouv.fr/pdf/2009/04/cir_14512.pdf
91. Stiftung Deutsche Schlaganfall Hilfe Stiftung Deutsche Schlaganfall Hilfe [Gütersloh;2012 [cited 02-05-2012]. Available from: <http://www.schlaganfall-hilfe.de/>
92. TÜV Rheinland Group LGA Intercert. Zertifizierung von Stroke Units [Nürnberg;2012 [cited 02-05-2012]. Available from: <http://www.lgaintercert.com/dienstleistungen/8-qm-systeme-in-medizinischeinrichtungen/25-zertifizierung-von-stroke-units>
93. Nederlandse Hartstichting Commissie Ontwikkeling Richtlijnen Stroke Unit. Advies opzet Stroke unit [Den Haag;2012 [cited 14-02- 2012]. Available from: <http://www.hartstichting.nl/professionals/toolbox/gezondheidszorg/Beroerte/>
94. Abilleira S, Ribera A, Sanchez E, Tresserras R, Gallofre M. The Second Stroke Audit of Catalonia shows improvements in many, but not all quality indicators. 2012;7(1):19-24.
95. U.S. Department of Health & Human Services AfHRAQ National Quality Measures Clearinghouse [2011 [cited 14-04-2012]. Available from: <http://qualitymeasures.ahrq.gov/>
96. US Department of Health and Human Services Agency for Healthcare Research and Quality [2012 [cited May 2012]. Available from: <http://www.ahrq.gov/>
97. Canadian Stroke Network HaSFoC Canadian Stroke Strategy Performance Measurement Manual [Canada;2012 [cited 12-04- 2012]. Available from: <http://www.strokebestpractices.ca/index.php/methods/performance-measures-development/>
98. Healthcare for London CSfL Stroke acute commissioning and tariff guidance [London;2009 [cited 14-04-2012]. Available from: <http://www.londonhp.nhs.uk/wp-content/uploads/2011/03/Stroke-Commissioning-and-Tariff-Guidance.pdf>
99. Socialstyrelsen National Board of Health and Welfare [Stockholm;2012 [cited 16-02-2012]. Available from: <http://www.socialstyrelsen.se/nationellariktlinjerforstrokesjukvard>



100. Centraal Begeleidings Orgaan voor de intercollegiale toetsing Diagnostiek, behandeling en zorg voor patiënten met een beroerte [Utrecht, The Netherlands;2012 [cited 11-06-2012]. Available from: http://www.cbo.nl/Downloads/218/rl_beroerte_09.pdf
101. Nederlandse Vereniging voor Neurologie Richtlijnen Nederlandse Vereniging voor Neurologie [Utrecht;2008 [cited 12-03-2012]. Available from: <http://www.neurologie.nl/publiek/beroepsinformatie/richtlijnen/nvnrichtlijnen>
102. Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with stroke or TIA: Assessment, investigation, immediate management and secondary prevention. 2008. 108 (978 1 905813 40 7) Available from: <http://www.sign.ac.uk/guidelines/fulltext/108/index.html>
103. Scottish Intercollegiate Guidelines Network (SIGN) Management of patients with stroke: rehabilitation, prevention and management of complications, and discharge planning [Edinburgh;2011 [cited 14- 04-2012]. Available from: <http://www.sign.ac.uk/guidelines/fulltext/118/>
104. Scottish Intercollegiate Guidelines Network (SIGN). Management of Patients with Stroke: Identification and Management of Dysphagia. 2010. 119 (978 1 905813 65 0) Available from: <http://www.sign.ac.uk/guidelines/fulltext/119/>
105. Woimant F, Hommel M, Adnet Bonte C, Baldauf E, Chedru F, Cohen A, et al. Recommendations for the creation of neuro-vascular units. 2001;157(11 Pt 1):1447-56.
106. Royal College of Physicians Stroke Guidelines [London;2008 [cited 14-04-2012]. Available from:<http://www.rcplondon.ac.uk/resources/stroke-guidelines>
107. Ringelstein EB. Recommendation for organization of special stroke departments (stroke units). 1997 implementation. 1998;69(2):180-5.
108. Ringelstein EB. Concept of interregional and regional stroke treatment in Germany. Report of the recommendation of Commission 1.06 "Stroke Units and Acute Stroke Therapy" of the German Society for Neurology. 2000;71(4):322-4.
109. Ringelstein EB. Time is brain f_" Competence is brain. 2005;2006(8):1024-7.
110. Faiss JH, Busse O, Ringelstein EB. New developments in German stroke units. 2008;79(4):480-2.
111. Ringelstein EB, Busse O, Ritter MA. Current concepts of Stroke Units in Germany and Europe. 2011;162:155-60.
112. Ringelstein EB, Muller-Jensen A, Nabavi DG, Grotemeyer KH, Busse O. Comprehensive stroke unit. 2011;82(6):778-84.
113. National Health Services Scotland Stroke Training [Edinburgh;2012 [cited 26-04-2012]. Available from: <http://www.stroketraining.org/>
114. National Health Services Scotland Stroke Core Competencies [Edinburgh;2012 [cited 11-02-2012]. Available from: <http://www.strokecorecompetencies.org/node.asp?id=home>
115. National Health Services Scotland Stroke Advancing Modules [2012 [cited 10-04-2012]. Available from: <http://www.strokeadvancingmodules.org/node.asp?id=advancing>
116. National Health Services Scotland Thrombolysis Masterclass [2012 [cited 10-04-2012]. Available from: http://www.strokeadvancingmodules.org/labyrinth_thrombo/
117. Chest Heart & Stroke Scotland (CHSS) Stroke4Carers [Edinburgh;2012 [cited 14-04-2012]. Available from: <http://www.stroke4carers.org/>



118. Stroke - Riks Forbundet Stroke - Riks Forbundet [Skärholmen;2012 [cited 01-05-2012]. Available from: www.strokeforbundet.se
119. National Health Services Scotland Scottish Stroke Care Audit Forms [Scotland;2012 [updated 20-02-2012; cited 10-04-2012]. Available from: <http://www.strokeaudit.scot.nhs.uk/Participants/main.html>
120. Scottish Stroke Care Audit Stroke Reports Scotland [2012 [cited 14- 05-2012]. Available from: <http://www.strokeaudit.scot.nhs.uk/Reports.html>
121. Evans A, Perez I, Harraf F, Melbourn A, Steadman J, Donaldson N, et al. Can differences in management processes explain different outcomes between stroke unit and stroke-team care? *Lancet*. 2001;358(9293):1586-92.
122. Boode B, Welzen V, Franke C, van OR. Estimating the number of stroke patients eligible for thrombolytic treatment if delay could be avoided. *Cerebrovasc.Dis*. 2007;23(4):294-8.
123. Laloux P, Thijs V, Peeters A, Desfontaines P. Obstacles to the use of intravenous tissue plasminogen activator for acute ischemic stroke. Is time the only barrier? *Acta Neurol.Belg*. 2007;107(4):103-7.
124. Lindsberg PJ, Happola O, Kallela M, Valanne L, Kuisma M, Kaste M. Door to thrombolysis: ER reorganization and reduced delays to acute stroke treatment. *Neurology*. 2006;67(2):334-6.
125. Wiedmann S, Norrving B, Nowe T, Abilleira S, Asplund K, Dennis M, et al. Variations in quality indicators of acute stroke care in 6 European countries: the European Implementation Score (EIS) Collaboration. 2012;43(2):458-63.
126. Pervez MA, Silva G, Masrur S, Betensky RA, Furie KL, Hidalgo R, et al. Remote supervision of IV-tPA for acute ischemic stroke by telemedicine or telephone before transfer to a regional stroke center is feasible and safe. *Stroke*. 2010;41(1):e18-e24.
127. Cerebrovascular diseases Telestroke: The Use of Telemedicine in Stroke Care [Karger;2009 [cited 12June 2012]. Available from: <http://content.karger.com/ProdukteDB/produkte.asp?Aktion=Ausgabe&Ausgabe=248014&ProduktNr=224153>
128. Vlayen J, Stordeur S, Vrijens F, Van Eycken E. Kwaliteitsindicatoren in oncologie: voorwaarden voor het opzetten van een kwaliteitssysteem (KCE report 152A). 2011.